

Home | Login | Logout | Access In Alerts | Sitem

Welcome United States Patent and Trademark Office

## Search Results

BROWSE

SEARCH

**IEEE XPLORE** GUIDE

Results for "( packet<in>metadata ) <and> ( geometry<in>metadata ) <and> ( compression&l..."

⊠e-mail

Your search matched 1 of 1174497 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in **Descending** order.

» View Session History

» New Search

**Modify Search** 

( packet<in>metadata ) <and> ( geometry<in>metadata ) <and> ( compression<i

» Key

JNL

HEEE IEEE

Journal or

Magazine

JEE JNL IEE Journal or

Magazine

IEEE IEEE Conference

**Proceeding** 

IEE CNF IEE

Conference Proceeding

**IEEE** Standard Check to search only within this results set

Display

Formát:

. [

Citation C Citation & Abstract

Bit allocation for joint source and channel coding of procompressed 3-D models
Al-Regib, G.; Altunbasak, Y.; Mersereau, R.M.;
Circuits and Systems for Video Technology, IEEE Transactive Volume 15, Issue 2, Feb. 2005 Page(s):256 - 268

AbstractPlus | Full Text: PDF(1024 KB) | IEEE JNL

indexed by **#inspec**  Help Contact U Securit

© Copyright 200 Righ

Welcome, Guest [Sign In] Yahoo! My Yahoo! Mail

Search Home Help

Web Images Video Directory Local News Shopp ZAFICO! SEARCH a method of graphics compression of a graphic pipeline of a c

My Web BETA

Subscriptions (New)

**Shortcuts** 

Advanced Search Preferences

## Search Results 1 - 2 of about 3 for a method of graphics con

- 1. open in new window <sup>囤</sup> TITLES TO 2700 SOFTWARE PATENTS ISSUED IN 1992 and 1993 Greg Aharonian II synthetic graphic ... processing system having skew correcting means Image data co www.ibiblio.org/patents/txt/sofpat.txt - 222k - Cached - More from this site - Save - Block
- TITLES TO 2700 SOFTWARE PATENTS ISSUED IN 1992 and 1993 Greg Aharonian II synthetic graphic ... processing system having skew correcting means Image data co lpf.ai.mit.edu/Patents/abstracts/2700-list - More from this site - Save - Block

In order to show you the most relevant results, we have omitted some entries very similar to t If you like, you can repeat the search with the omitted results included.

Web Images Video Directory Local News Shopping Your Search: a method of graphics compression of a graphic pipeline of a c Search

Search from anywhere on the Web. Get Yahoo! Toolbar now. It's fast, easy and it's free.

Copyright © 2005 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service -Copyright/IP Policy - Submit Your Site - Job Openings

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((packet near type) and (setup adj variable) and modif\$6 and bundl\$4).clm.	US-PGPUB	OR	ON	2005/06/24 09:02
L2	0	((packet near type) and (setup adj variable) and modif\$6).clm.	US-PGPUB	OR	ON	2005/06/24 09:02
13	0	((packet near type) and (setup adj variable)).clm.	US-PGPUB	OR	ON	2005/06/24 09:02
L4	0	((packet and type) and (setup adj variable)).clm.	US-PGPUB	OR	ON	2005/06/24 09:03
L5	0	((packet and type) and (setup near variable)).clm.	US-PGPUB	OR	ON	2005/06/24 09:03
L6	0	(packet and type and (setup near variable)).clm.	US-PGPUB	OR	ON	2005/06/24 09:03
L7	4	(packet and type and setup and variable).clm.	US-PGPUB	OR	ON	2005/06/24 09:04

	υ	1	Document ID	Issue Date	Pages
1			US 20050053130 A1	20050310	32
2			US 20040064664 A1	20040401	15
3			US 20030235186 A1	20031225	17
4			US 20030076125 A1	20030424	25

	Title	Current OR	Current XRef
1	Method and apparatus for voice transcoding between variable rate coders	375/240	
2	Buffer management architecture and method for an infiniband subnetwork	711/170	711/173
3	Internet cordless phone	370/352	
4	Method and system for wafer and device level testing of an integrated circuit	324/765	

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
1		Jabri, Marwan A. et al.	X						
2		Gil, Mercedes E.	x						
3		Park, Sang Gyu	X						
4		McCord, Don	х						

		Image Doc. Displayed	PT
1	US	20050053130	
2	US	20040064664	
3	US	20030235186	
4	us	20030076125	

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	2	"6628836".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:08
L2	0	(packet adj type) with header and (setup adj variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:09
L3	2	(packet adj type) with (setup adj variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:11
L4	2	(packet adj type) and (setup adj variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:11
L5	9151	(packet:near type)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:11
L6	2	5 and (setup near variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:11
L7	259	5 and slope	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:11
L8	221	7 and variable	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:12
L9	62	8 and geometry	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:12
L10	60	9 and graphic\$4	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:12
L11	58	10 and raster\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:12
L12	48	11 and (type near variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:13
L13	2	12 and setup	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:13
L14	47	12 and modif\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:13
L15	47	14 and compres\$4	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:14

L16	1	15 and header	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:14
L17	5569	5 and header	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:15
L18	696	17 and (slope or color or texture)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:15
L19	54	17 and ((slope or color or texture) with variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:15
L20	8	19 and graphic\$4 and geometry	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:15
L21	8	20 and compres\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:25
L22	0	(packet near type) with variable	EPO; JPO	OR	ON	2005/06/24 08:25
L23	0	(packet near type) with (slope or color or texture)	EPO; JPO	OR	ON	2005/06/24 08:25
L24	293301	(packet near type) andh (slope or color or texture)	EPO; JPO	OR	ON	2005/06/24 08:26
L25	0	(packet near type) and (slope or color or texture)	EPO; JPO	OR	ON	2005/06/24 08:26
L26	4	(packet near type) and variable	EPO; JPO	OR	ON	2005/06/24 08:27
L27	0	26 and compres\$6	EPO; JPO	OR	ON	2005/06/24 08:26
L28	0	26 and geometry	EPO; JPO	OR	ON	2005/06/24 08:26
L29	208467	"345"/("506", "419", "426", "501").ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:28
L30	0	29 and (packet near type) and varibale	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:28
L31	317	29 and (packet near type) and variable	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:28
L33	71	31 and geometry and graphic\$4	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:29
L34	1	33 and (setup near variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:30
L35	9	33 and setup	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:30

L36	8	35 and compres\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:36
L37	1717	382/232.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:37
L38	1	37 and ((packet near type) with variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:37
L39	6	37 and ((packet near type) and variable)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:37
L40	2	39 and geometry and graphic\$4	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 08:37

	ט	1	Document ID	Issue Date	Pages
1			US 20030179195 A1	20030925	15
2			US 6628836 B1	20030930	11

	Title	Current OR	Current XRe
1	Systems and methods for compressing rasterization setup data within a sort middle graphics architecture	345/420	
2	Sort middle, screen space, graphics geometry compression through redundancy elimination	382/232	345/501; 345/506

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
1		Ordentlich, Erik et al.	X			٠			
2		Wittenbrink; Craig M. et al.	х						

		Image Doc. Displayed	PT
1	US	20030179195	
2	US	6628836	

	υ	1	Do	cum	ent	ID	Issue	e Date	Pages
1			US 200 A1	401	3055	2	20040	708	416
2			US 200 A1	301	7919	5	20030	925	15
3			US	677	1264	B1	20040	0803	105
4			us	671	7576	B1	20040	0406	393
5			US	662	8836	B1	20030	930	11
6		X	us	659	7363	B1	20030	722	116
7		X	us	649	0627	B1	20021	.203	56
8		х	us	595	3506	A	19990	914	60

	Title	Current OR	Current XRef
1	Deferred shading graphics pipeline processor having advanced features	345/506	
2	Systems and methods for compressing rasterization setup data within a sort middle graphics architecture	345/420	
	Method and apparatus for performing tangent space lighting and bump mapping in a deferred shading graphics processor	345/426	345/584
4	Deferred shading graphics pipeline processor having advanced features	345/419	345/506; 345/522
5	Sort middle, screen space, graphics geometry compression through redundancy elimination	382/232	345/501; 345/506
6	Graphics processor with deferred shading	345/506	345/545; 345/563; 345/653; 345/654
7	Method and apparatus that provides a scalable media delivery system	709/231	348/390.1; 348/410.1; 348/421.1; 382/232; 709/247
1	Method and apparatus that provides a scalable media delivery system	709/231	345/428; 375/240.24

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
1		Duluk, Jerome F. JR. et al.	X						
2		Ordentlich, Erik et al.	x						
3		Duluk; Jerome F. et al.	х						
4		Duluk, Jr.; Jerome F. et al.	х						
5		Wittenbrink; Craig M. et al.	x						
6		Duluk, Jr.; Jerome F. et al.	x						
7		Kalra; Devendra et al.	X						
8		Kalra; Devendra et al.	Х						

		Image Doc. Displayed	PT
1	us	20040130552	
2	US	20030179195	
3	US	6771264	
4	US	6717576	
5	US	6628836	
6	US	6597363	
7	US	6490627	
8	US	5953506	

	υ	1		ocument					Pages
1			JP A	200023	3247	7	200008	22	24
2			JР	621478	338 2	A	198707	01	4
3			JР	582062	258 2	A	198312	01	3
4			WO A1	200501	594	4	200502	17	38

	Title	Current OR	Current XRef
1	DATA COMMUNICATION SYSTEM		
2	BIT MULTIPLEX TYPE PACKET COMMUNICATION SYSTEM		341/100; 370/392; 370/FOR.110
3	VARIABLE TRANSMISSION CONTROL SYSTEM		714/FOR.300
4	PACKET AND OPTICAL ROUTING EQUIPMENT AND METHOD		

	Retrieval Classif	Inventor	s	C	P	2	3	4	5
1		MAEDA, YASUYORI	Х						
2		MATSUDA, MASAHIRO et al.	х						
3		IMOTO, KUNIO	х		•				
4		PIRELLI, C S P A et al.	х						

	Image Doc. Displayed	PT
1	JP 2000232477 A	
2	JP 62147838 A	
3	JP 58206258 A	
4	WO 2005015944 A1	

	ប	1	Do	cument	ID	Issue	Date	Pages
1			US (	6628836	5 B1	200309	30	11
2		X	US (	649062	7 B1	200212	:03	56

	Title	Current OR	Current XRef
1	Sort middle, screen space, graphics geometry compression through redundancy elimination	14 2 7 7 7 4 7	345/501; 345/506
2	Method and apparatus that provides a scalable media delivery system	709/231	348/390.1; 348/410.1; 348/421.1; 382/232; 709/247

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1		Wittenbrink; Craig M. et al.	X						4
2		Kalra; Devendra et al.	X						

	Image Doc. Displayed	PT
1	US 6628836	
2	US 6490627	